

DTK, 14/10/2009

**STATUTORY CONDITIONS RELATING TO USE**

FOR USE ONLY IN RODENT CONTROL BY PROFESSIONAL OPERATORS.

FOR USE ONLY BY PROFESSIONAL OPERATORS.

Application rate: APPLY AS NECESSARY.

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

Wear suitable gloves.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

PREVENT ACCESS TO GEL by children, birds or non-target animals particularly dogs, cats, pigs and poultry.

Search for and remove rodent bodies at frequent\* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers). You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environment Agency or your local Scottish Environment Protection Agency (SEPA) office. \*(Intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

DO NOT PLACE GEL where food, feed or water could become contaminated.

AVOID ALL CONTACT BY MOUTH.

WHEN USING DO NOT EAT, DRINK OR SMOKE.

HARMFUL TO WILDLIFE.

This material and its container must be disposed of in a safe way.

READ ALL PRECAUTIONS BEFORE USE.

HSE 6766

**PRECAUTIONS**

To avoid risks to man and the environment, comply with the instructions for use.

WASH HANDS AND EXPOSED SKIN before meals and after use.

Keep container tightly closed. Keep only in the original container. KEEP IN A SAFE PLACE. Keep out of the reach of children.

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).

Difenacoum is an indirect anticoagulant. Phytomenadione, Vitamin K1, is antidotal. Determine prothrombin times not less than eighteen hours after consumption. If elevated, administer Vitamin K1 until prothrombin time normalises. Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time.

Wild mammals and birds may be at greater risk if this product is not used in accordance with the label.



The experts in pest control

**FENTROL GEL**

For the control of rats and mice.

FOR USE ONLY IN RODENT CONTROL BY PROFESSIONAL OPERATORS.

Contains 0.1% w/w Difenacoum

NOT FOR SALE.

FOR USE BY RENTOKIL INITIAL SERVICE STAFF ONLY.

THE RESISTANCE STATUS OF THE TARGET POPULATION SHOULD BE TAKEN INTO ACCOUNT WHEN CONSIDERING THE CHOICE OF RODENTICIDE TO BE USED.

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.



**HARMFUL** IF SWALLOWED.

**HARMFUL** TO AQUATIC

**HARMFUL** ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.

CONTENTS: 500g

**DIRECTIONS FOR USE**

Apply as a thick smear to entrance holes and runs (pipes, girders etc.) sufficient to ensure that rodents are unable to avoid it. Gel must be placed only in situations where there is no ready access to occupants of houses (e.g. in wall cavities and under floors). Gelled locations should be protected from the prevailing weather and also from access to non-target species, particularly children and domesticated animals. Inspect at appropriate intervals and replenish as necessary, continuing until gel is no longer being removed. Clean away all exposed gel after treatment and dispose of safely.

Manufactured by: Rentokil Initial Supplies, Liverpool, L33 7SR, UK.  
Product advice line: +44 (0) 151 548 5050  
Emergency line: +44 (0) 1293 858000

THIS PRODUCT IS APPROVED UNDER THE CONTROL OF PESTICIDES REGULATIONS 1986 (AS AMENDED) FOR USE AS DIRECTED.

Note to Doctor: For further information, contact your local National Poisons Information Centre.



STORE IN A COOL, DRY PLACE.

PROTECT FROM FROST.

BATCH NO:  
Label Number: 082409-137C4

CLF122